

DECLARATION OF PERFORMANCE

Nonius Hanger diagonal pull

for C 60-27

Item 5547 | No. T_4241



Declaration of performance in accordance with EU Construction Product Regulation 305/2011	
Applicable designated standard	EN 13964:2014
Designation according to standard	Noniushänger
Protektor product name	Nonius Hanger diagonal pull
Product area	21

Identification using product data printed onto products / packaging / documents

EN 13964:2014 Suspended Ceiling requirements and test procedures

Protektorwerk Florenz Maisch GmbH & Co. KG

8319800

Assessment and Verification of Constancy of Performance

Performance	System	Approved body	Classification report
-------------	--------	---------------	-----------------------

Performance to be declared

Essential characteristics	Performance	Designated technical standard
---------------------------	-------------	-------------------------------

The manufacturer has carried out initial type testing (ITT) as required by Suspended Ceiling requirements and test procedures. The product undergoes a factory production control (FPC) which complies with the requirements of EN 13964:2014 - Suspended Ceiling requirements and test procedures.

The performance of the product which is referred to in this performance declaration represents the performance to be declared. The manufacturer named in this declaration of performance is solely responsible for preparing this "declaration of performance".

Signed for the manufacturer and on behalf of the manufacturer by:

A handwritten signature in blue ink, appearing to read "C. Maisch".

Dr. Christof Maisch | CEO, Managing Partner
Gaggenau, on 10.04.2024