

DECLARATION OF PERFORMANCE T_58108_15696

Nonius hanger C3-C5M universal+
for C 60-27
Item 58108



Declaration of performance in accordance with EU Construction Product Regulation 305/2011

Applicable designated standard	EN 13964:2014
Designation according to standard	Abhänger
Protektor product name	Nonius hanger C3-C5M universal+
Product area	21

Identification using product data printed onto products / packaging / documents

EN 13964:2014 Suspended Ceiling requirements and test procedures
Protektorwerk Florenz Maisch GmbH & Co. KG
8304400

Assessment and Verification of Constancy of Performance

Performance	System	Approved body	Classification report
Load bearing capacity	3	NB 1503 - VHT -Darmstadt	
Durability	4	NB 2458 - Institut für Oberflächentechnik IFO	
Dimensioning			
Reaction to fire (R2F)	4	NB 0761 - MPA Braunschweig	

Performance to be declared

Essential characteristics	Performance	Designated technical standard
Load bearing capacity	0,610 kN	EN 13964:2014
Durability	D	EN 13964:2014
Dimensioning	bestanden	EN 13964:2014
Reaction to fire (R2F)	A2-s1, d0	EN 13964:2014

The manufacturer has carried out initial type testing (ITT) as required by Suspended Ceiling requirements and test procedures. The product undergoes a factory production control (FPC) which complies with the requirements of EN 13964:2014 - Suspended Ceiling requirements and test procedures.

The performance of the product which is referred to in this performance declaration represents the performance to be declared. The manufacturer named in this declaration of performance is solely responsible for preparing this "declaration of performance".
Signed for the manufacturer and on behalf of the manufacturer by:

Dr. Christof Maisch | CEO, Managing Partner
Gaggenau, on 23.09.2026