

# DECLARATION OF PERFORMANCE

Adjusting strip for Nonius hanger  
working length 440 mm  
Item 6024 | No. T\_14576



## Declaration of performance in accordance with EU Construction Product Regulation 305/2011

|                                   |                                   |
|-----------------------------------|-----------------------------------|
| Applicable designated standard    | EN 13964:2014                     |
| Designation according to standard | Justierstab                       |
| Protektor product name            | Adjusting strip for Nonius hanger |
| Product area                      | 21                                |

Identification using product data printed onto products / packaging / documents

EN 13964:2014 Suspended Ceiling requirements and test procedures  
Protektorwerk Florenz Maisch GmbH & Co. KG  
8304400

## Assessment and Verification of Constancy of Performance

| Performance            | System                              | Approved body | Classification report |
|------------------------|-------------------------------------|---------------|-----------------------|
| Load bearing capacity  | 3                                   |               |                       |
| Durability             | 4                                   |               |                       |
| Dimensioning           |                                     |               |                       |
| Reaction to fire (R2F) | 4, Commission decision<br>96/603/EG |               |                       |

## Performance to be declared

| Essential characteristics | Performance | Designated technical standard |
|---------------------------|-------------|-------------------------------|
| Load bearing capacity     | NPD*        | EN 13964:2014                 |
| Durability                | B           | EN 13964:2014                 |
| Dimensioning              |             | EN 13964:2014                 |
| Reaction to fire (R2F)    | A1          | EN 13964:2014                 |

The manufacturer has carried out initial type testing (ITT) as required by Suspended Ceiling requirements and test procedures. The product undergoes a factory production control (FPC) which complies with the requirements of EN 13964:2014 - Suspended Ceiling requirements and test procedures.

The performance of the product which is referred to in this performance declaration represents the performance to be declared. The manufacturer named in this declaration of performance is solely responsible for preparing this "declaration of performance".  
Signed for the manufacturer and on behalf of the manufacturer by:

Dr. Christof Maisch | CEO, Managing Partner  
Gaggenau, on 30.07.2026