

DECLARATION OF PERFORMANCE T_6102_14988

Quick cross-connector
for C 60-27
Item 6102



Declaration of performance in accordance with EU Construction Product Regulation 305/2011

Applicable designated standard	EN 13964:2014
Designation according to standard	Kreuzschnellverbinder
Protektor product name	Quick cross-connector
Product area	21

Identification using product data printed onto products / packaging / documents

EN 13964:2014 Suspended Ceiling requirements and test procedures
Protektorwerk Florenz Maisch GmbH & Co. KG
8000028

Assessment and Verification of Constancy of Performance

Performance	System	Approved body	Classification report
Load bearing capacity	3	NB 1503 - VHT -Darmstadt	
Durability	4		
Dimensioning			
Reaction to fire (R2F)	4, Commission decision 96/603/EG		

Performance to be declared

Essential characteristics	Performance	Designated technical standard
Load bearing capacity	0,400 kN	EN 13964:2014
Durability	B	EN 13964:2014
Dimensioning		EN 13964:2014
Reaction to fire (R2F)	A1	EN 13964:2014

The manufacturer has carried out initial type testing (ITT) as required by Suspended Ceiling requirements and test procedures. The product undergoes a factory production control (FPC) which complies with the requirements of EN 13964:2014 - Suspended Ceiling requirements and test procedures.

The performance of the product which is referred to in this performance declaration represents the performance to be declared. The manufacturer named in this declaration of performance is solely responsible for preparing this "declaration of performance".
Signed for the manufacturer and on behalf of the manufacturer by:

Dr. Christof Maisch | CEO, Managing Partner
Gaggenau, on 03.09.2026